ABN 16 117 075 180

Professional Cleaning chemicals

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION

# **Degreaser**

#### **Other Names**

Caustic based degreaser Concentrated degreaser

#### **Uses**

Industrial cleaning applications, concrete surfaces.

### **Company Details**

Address: Active Chemicals Pty Ltd
Address: Active Chemicals Pty Ltd
Address: Telephone No.: (02) 9826 0201
Facsimile No.: (02) 9826 0208
Facsimile No.: (02) 9826 0208
Email: office@aguapac.com.au

**Emergency Telephone No.: Business Hours:** 9826 0201

After Hours: Police or Fire 000

Poisons Information Centre: 131126

## 2. HAZARD IDENTIFICATION

U.N. Number:1824Class:8Hazchem:2RPoisons Schedule:6EPG:37Packaging Group:II

Classified as hazardous according to criteria of NOHSC

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:1 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

Risk Statement:

R35 causes severe burns

R41 Risk of serious damage to eyes.

Safety Statement:

S2 Keep out of reach of children

S26 In case of contact with eyes, rinse immediately with plenty of water and Seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Hazard Category: C Corrosive

### 3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Entity	CAS No.	Proportion	
Sodium hydroxide	1310-73-2	< 10%	
Sodium carbonate	497-19-8	< 5%	
Alkaline salts		< 10%	
Iso Butanol		< 5%	
Eucalyptus Oil		< 2%	
Surfactant		< 1%	
Water	7732-18-5	balance	

## 4. FIRST AID MEASURES

#### First Aid

Swallowed

Immediately rinse mouth thoroughly with water. Give large quantities of water to drink. Do NOT induce vomiting. If vomiting occur's place victim's head lower than hips to prevent vomit from entering lungs and give further water to achieve effective dilution. Seek immediate medical assistance.

Eye

Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. Transport to medical centre. Continue washing during transport if possible. Seek immediate medical assistance.

Skin

Immediately wash contaminated skin with plenty of water and then wash with soap and water. Remove contaminated clothing and wash before re-use. If swelling, redness or blistering occurs seek medical advice.

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:2 of 10

ABN 16 117 075 180

Professional Cleaning chemicals

#### Inhalation

Remove victim from exposure - avoid becoming a casualty. For all but the most minor symptoms arrange for patient to be seen by a doctor as soon as possible. If breathing is difficult have a trained person administer oxygen. If respiration stops comma, give mouth to mouth resuscitation. Seek medical advice.

#### **Health Effects**

Symptoms that may arise if the product is mishandled are:

#### **Acute**

Swallowed Ingested sodium hydroxide is extremely corrosive, causing

dissolution of body tissue accompanied by severe burning sensation

in mouth and oesophagus. May be fatal if swallowed.

Eye Will irritate and possibly damage eye tissue causing conjunctivitis,

corneal burns, ulceration and could cause permanent injury and loss

of sight.

**Skin** Contact with skin can cause burns or severe irritation. Repeated or

prolonged contact may lead to irritant contact dermatitis. Pain may not be associated with contact; thus care is needed to avoid

contaminating gloves and boots.

**Inhaled** Inhalation of mists of the solution will result in respiratory inhalation

and possible harmful corrosive effects including lesions of the nasal septum, pulmonary oedema, pneumonitis and emphysema. Inhalation at elevated temperatures will increases these symptoms.

As with any chemical - ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

#### **Chronic Effects**

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

As with any chemical - ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

**Poison Information Centres** in each State capital city can provide additional assistance.

#### **Advice to Doctor**

Treat symptomatically

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:3 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

## 5. Fire Fighting Measures

### **Fire / Explosion Hazards**

Not Combustible

Conditions to avoid:

Reaction with metals will produce flammable hydrogen gas.

Materials to avoid:

Acids, and ammonium salts

Hazardous Decomposition Products:

May produce hydrogen gas in contact with metal

Extinguishing Media:

Fire fighters should wear full protective clothing including self-contained breathing apparatus. In case of fire use water, foam, carbon dioxide, dry powder.

## 6. Accidental Release Measures

### **Spills**

Clear area of all unprotected personnel. Wear protective equipment to prevent skin and eye contamination including breathing apparatus.

Contain do not allow spill material to enter the environment. Contain material using inert absorbent material eg vermiculite. Place into suitable labelled containers and hold for waste disposal. Wash area down with excess water once removed.

CAUTION: Degreaser may react violenty with acids.

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:4 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

## 7. Handling and Storage

### **Storage and Transport**

Classified as a Dangerous Good for the purposes of transport.

Correct shipping name: Caustic based Degreaser

Packaging Group 11 UN Number 1824 Class 8 (Corrosive)

Refer to relevant regulations for storage and transport requirements.

Not to be loaded with:

Class 1 explosives

Class 4.3 dangerous when wet substances

Class 5.1 Oxidising agents

Food stuffs

Incompatible Class 8 chemicals (Strong acids)

Store according to relevant Poisons Storage Act (Schedule Poison S6)

Group Text Emergency Procedure Guide (GTEPG) card from AS2931

GTEPG: 8A1

Dangerous Goods – Initial Emergency Response Guide (SSA/SNZ HB76:1997)

Do not store in materials of tin, aluminium, galvanised, zinc or alloys of these materials. Store away from acids and ammonium salts.

.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

### **Personal Protection**

**Eyes:** The use of a face shield, chemical goggles or safety glasses with

side shield protection as appropriate.

**Skin:** Rubber or PVC gloves, overalls or PVC suit, safety or rubber boots **Respiratory:** If mist is generated the use of a chlorine vapour half facepiece

respirator is recommended.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:5 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

### **Flammability**

Not combustible material.

PRECAUTIONS FOR USE

## 8. Exposure Controls / Personal Protection

**Exposure Standards** (for atmospheric contaminants in the occupational environment) No value assigned for this product by the NOHSC (Workcover). However, the exposure standard for the acid constituent is:

	TWA		STEL	
	ppm	mg/m³	ppm	mg/m³
Sodium hydroxide	2			

8 hr atmospheric TLV = 2mg/m3 - ceiling value for caustic soda (max instantaneous value).

Peak Limitation: A ceiling value that should not be exceeded over a measurement period that should be as short as possible but not exceed 15 minutes.

This exposure standard is a guide to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. Exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## **Engineering Controls**

Design and maintain pipework and storage systems to prevent leaks, and consider possible low temperature solidification effects. Maintain concentration below recommended exposure limit. Use in a well-ventilated area. Avoid generating and inhaling mists and aerosols. Keep containers closed when not in use. If risk of overexposure exists, wear SAA approved respirator to comply with Australian

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:6 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

Standards, ensuring correct fit to obtain adequate protection.

#### **Personal Protection**

**Eyes:** The use of a face shield, chemical goggles or safety glasses with

side shield protection as appropriate.

**Skin:** Rubber or PVC gloves, overalls or PVC suit, safety or rubber boots **Respiratory:** If mist is generated the use of approved AS 1715/1716 half

facepiece respirator is recommended.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

### **Flammability**

Not combustible material. Direct contact with water can cause a violent exothermic reaction. Use foam, carbon dioxide or dry chemical where the product is stored.

## 9. Physical Description / Properties

Appearance: Transparent viscous liquid.

Flash point: N/A Specific Gravity: 1.05 to 1.1
Boiling point (°C): 140 ph (neat solution) > 10
Melting Point (°C): N/A Solubility in Water (g/L): soluble

Vapour pressure: n/a

**Other Properties** 

Odour: characteristic Soluble in water

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:7 of 10

ABN 16 117 075 180
Professional Cleaning chemicals

# 10. Stability and Reactivity

**Chemical Stability:** 

Product is stable under normal conditions of use, storage and temperature.

\*\* KEEP CONTAINERS WELL SEALED \*\*

# 11. Toxicological Information

# **Toxicity** Toxicology:

i Oxicology. Ni/A

#### **Chronic Effects**

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

# 12. Ecological Information

#### **Ecotoxicity**

No data available.

**Mobility** No information available on mobility for this product. Completely Miscible with water.

**Environmental Fate (Exposure)** Do NOT allow product to enter waterways, drains or sewers.

## 13. Disposal Considerations

### **Disposal**

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:8 of 10

**Professional Cleaning chemicals** 

Refer to State and Land Management Authority and relevant Environmental Protection Authority. All empty packaging should be disposed of in accordance with Local, Sate, and Federal Regulation or recycled/reconditioned at an approved facility.

## **Transport Information**

1824 Class: U.N. Number: 8 Hazchem: 2R **Poisons Schedule:** 6 FPG: **Packaging Group:** 37 Ш Classified as hazardous according to criteria of NOHSC

#### **Regulatory Information 15.**

Poisons Schedule 6

**EPG** 37

AICS Name No data available.

#### **Other Information 16**.

#### Legend to Abbreviations and Acronyms

< less than > greater than

**AICS** Australian Inventory of Chemical Substances

**CAS** Chemical Abstracts Service (Registry Number)

CO2 Carbon Dioxide

**COD** Chemical Oxygen Demand

Deg C degrees Celsius

**ERMA** Environmental Risk Management Authority

g/cm3 grams per cubic centimetre g/L grams per litre

**HSNO** Hazardous Substance and New Organism

**IDLH** Immediately Dangerous to Life and Health

Immiscible liquids are insoluble in each other

Kg kilogram Kg/m3 kilograms per cubic metre

Doc Title: MSDS DEGREASER Doc ID: QA2

Version: 2.7 CURRENT Version Date: 24/05/2013 9 of 10 WS

Authorised by: Page:

Professional Cleaning chemicals

**LC 50** LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

**LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals

Ltr Litre m3 cubic metre mbar millibar mg milligram mg/24Hmilligrams per 24 hours

Mg/Kgmilligrams per kilogram mg/m3 milligrams per cubic metre

Misc miscible

**miscible** liquids form one homogeneous liquid phase regardless of the amount of either component present

mm millimetre mPa.smilli Pascal per second

N/A Not Applicable

NOHSC National Occupational Health and Safety Commission

**OECD**Organization for Economic Co-operation and Development

**PEL** Permissible Exposure Limit

**Ppb** parts per billion **ppm** parts per million

**Ppm/2h** parts per million per 2 hours **ppm/6h** parts per million per 6 hours

**RCP** Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

**TLV** Threshold Limit Value

Tne tonne

TWA time Weighted Average

Ug/24H micrograms per 24 hours

**UN** United Nations (number)

W weight

### **Company Disclaimer**

All information contained in this data sheet is as accurate and up-to-date as possible. Since Aquapac Pty Ltd cannot anticipate or control the conditions under which this information may be used, each user should review the information in the

specific context of the intended application.

Aquapac Pty Ltd will not be responsible for damages of any nature resulting from the use or reliance upon the information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.

# UNCONTROLLED DOCUMENT. PLEASE ENSURE YOU HAVE THE CURRENT COPY

Doc Title: MSDS DEGREASER Doc ID: QA2

Version:2.7 CURRENTVersion Date:24/05/2013Authorised by:WSPage:10 of 10